



BENTA 480 SL

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 09/01/2019

Revision date: -

Supersedes: -

Version: 1.0/EL (eng)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : BENTA 480 SL
Name : Bentazone 48% SL
Product code : SHA 0900 A
Marketing Authorization Number in the Market : 70290

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Herbicide

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Sharda Cropchem Ltd.
2nd Floor, Prime Business Park, Dashrathlal Joshi Road, Vile Parle (West)
400056 Mumbai - India
T + 91 22 6261 5615 - F + 91 22 6678 2828
regn@shardaintl.com

1.4. Emergency telephone number

Emergency number : +91 22 6678 2800 (08-16h)

Country	Organisation/Company	Address	Emergency number
GREECE	Poisons Information Centre Children's Hospital "Aglaia. Kyriakou"	11527 Athens	+30 10 779 3777
GREECE	Department of Forensic Medicine & Toxicology Aristotle University of Thessaloniki, Medical Faculty	54006 Thessaloniki	—

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning
Hazardous ingredients : bentazone (ISO); 3-isopropyl-2,1,3-benzothiadiazine-4-one-2,2-dioxide
Hazard statements (CLP) : H302 - Harmful if swallowed.
H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP) : P405+P102 - Store locked up. Keep out of reach of children.
P264 - Wash hands thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P280 - Wear protective gloves, protective clothing.
P301+P312 - IF SWALLOWED: Call a doctor, a POISON CENTER if you feel unwell.
P330 - Rinse mouth.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements : EUH208 - Contains bentazone. May produce an allergic reaction.
EUH401 - To avoid risks to human health and the environment, comply with the instructions for use.

2.3. Other hazards

No additional information available

BENTA 480 SL

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
bentazone (ISO); 3-isopropyl-2,1,3-benzothiadiazine-4-one-2,2-dioxide	(CAS-No.) 25057-89-0 (EC-No.) 246-585-8 (EC Index-No.) 613-012-00-1	40.5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. If not breathing, give artificial respiration. Call a doctor.
First-aid measures after skin contact	: Remove contaminated clothes. After contact with skin, wash immediately and thoroughly with water and soap.
First-aid measures after eye contact	: Wash with plenty of water (during 20 minutes minimum) with eyes wide open after taking off soft contact lenses and immediately take medical advice.
First-aid measures after ingestion	: Rinse mouth. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: In case of fire and/or explosion do not breathe fumes.
Reactivity in case of fire	: Product is not explosive.
Hazardous decomposition products in case of fire	: Carbon monoxide. Nitrogen oxides. Carbon dioxide. Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire	: Keep container tightly closed and away from heat, sparks and flame. Keep away from combustible materials.
Firefighting instructions	: Appropriate self-contained breathing apparatus may be required. Get the package away from the fire if this can be done without risk. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Wear fire/flame resistant/retardant clothing. Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Do not allow material to contaminate surface water system.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Wear suitable protective clothing, gloves and eye or face protection. Chemical resistant gloves (according to European standard NF EN 374 or equivalent). EN 166. Wear eye protection. Personal protective equipment. EN ISO 20345.
Emergency procedures	: Evacuate personnel to a safe area.

6.1.2. For emergency responders

Protective equipment	: Wear suitable hand, body and head protection.
----------------------	---

6.2. Environmental precautions

Danger of pollution of drinking water when product enters the soil. Do not allow run-off from fire fighting to enter drains or water courses. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Label the container and provide warning statements to prevent any contact.
Methods for cleaning up	: Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Clean spills promptly. Wash contaminated area with large amounts of water.

6.4. Reference to other sections

No additional information available

BENTA 480 SL

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Do not allow run-off from fire fighting to enter drains or water courses. Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).
Precautions for safe handling	: Avoid contact with skin and eyes. Do not eat, drink or smoke in areas where product is used. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Remove contaminated clothing and shoes. Wash clothing and equipment after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Ensure adequate ventilation, especially in confined areas. Store locked up.
Storage conditions	: Keep only in original container. Store in a dry place. Store in a closed container. Store in a well-ventilated place. Protect from sunlight.
Storage temperature	: 0 - 30 °C
Packaging materials	: Keep only in the original container in a cool, well-ventilated place away from combustible materials.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection:

Chemical resistant gloves (according to European standard NF EN 374 or equivalent)

Eye protection:

EN 166. Eye protection, including both chemical splash goggles and face shield, must be worn when possibility exists for eye contact due to spraying liquid or airborne particles

Skin and body protection:

Long sleeved protective clothing

Respiratory protection:

Extra personal protection: P2 filter respirator for harmful particles. Extra personal protection: P3 filter respirator for toxic particles

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: clear. Oily.
Colour	: dark yellow.
Odour	: Varnish.
Odour threshold	: No data available
pH (1 % Aqueous solution)	: 7.22
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 100 °C
Flash point	: > 100 °C
Auto-ignition temperature	: > 400 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.1861
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 8.501 mPa·s (40 °C)
Explosive properties	: Not explosive.
Oxidising properties	: Not oxidising.

BENTA 480 SL

Safety Data Sheet

according to Regulation (EU) 2015/830

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Stable under normal conditions of use.

10.4. Conditions to avoid

Heat. High temperature. Open flame. Direct sunlight.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

BENTA 480 SL

LD50 oral rat 2000 mg/kg bodyweight

LD50 dermal rat > 2000 mg/kg bodyweight

LC50 inhalation rat (mg/l) > 5.092 mg/l/4h

Skin corrosion/irritation : Not irritating

Serious eye damage/irritation : Not irritating

Respiratory or skin sensitisation : This product does not cause skin sensitization

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

bentazone (ISO); 3-isopropyl-2,1,3-benzothiadiazine-4-one-2,2-dioxide (25057-89-0)

LC50 fish 1 > 100 mg/l (96 h, Oncorhynchus mykiss)

EC50 Daphnia 1 > 100 mg/l (48 h, Daphnia magna)

EC50 72h algae (1) 33.3 mg/l (72 h, Pseudokirch subcap.)

ErC50 (other aquatic plants) 12 mg/l (7 d, Lemna gibba)

12.2. Persistence and degradability

bentazone (ISO); 3-isopropyl-2,1,3-benzothiadiazine-4-one-2,2-dioxide (25057-89-0)

Persistence and degradability Not established.

12.3. Bioaccumulative potential

bentazone (ISO); 3-isopropyl-2,1,3-benzothiadiazine-4-one-2,2-dioxide (25057-89-0)

Log Pow -0.94 (pH 7, 20 °C)

12.4. Mobility in soil

BENTA 480 SL

Surface tension 46.94 N/m

BENTA 480 SL

Safety Data Sheet

according to Regulation (EU) 2015/830

benazone (ISO); 3-isopropyl-2,1,3-benzothiadiazine-4-one-2,2-dioxide (25057-89-0)

Surface tension 70 mN/m (2%)

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Avoid release to the environment. Disposal must be done according to official regulations. Do not dispose of the packaging without first carrying out the necessary cleaning. Refer to manufacturer/supplier for information on recovery/recycling.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

Other information, restriction and prohibition regulations : according to Regulation (EU) 2015/830.

15.1.2. National regulations

Refer to protective measures listed in Sections 7 and 8

BENTA 480 SL

Safety Data Sheet

according to Regulation (EU) 2015/830

15.2. Chemical safety assessment

Refer to protective measures listed in Sections 7 and 8

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains bentazone. May produce an allergic reaction.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Other data

Date of issue: 09/01/2019
Version: 1.0/EL (eng)
Replaces: —
Indication of changes: —

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product